

# FABER

FRANKE'S AIR EXPERT



**F** PRODUCT RANGE  
SMALL APPLIANCES  
CATALOGUE

# A VISION OF GLOBAL REACH.

## A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

## INVESTING IN THE WORLD

Always growing, to serve more people.

## THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

## INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

## DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



## HEADQUARTER

Fabriano (AN) -ITALIA

## COMMERCIAL OFFICE

Hudson -U.S.A.

Chambly -FRANCIA

Istanbul -TURCHIA

Mosca -RUSSIA

Pune -INDIA

## PRODUCTION PLANT

Sassoferrato -ITALIA

Manisa -TURCHIA

Villedieu-les-Poeles -FRANCIA Byske -SVEZIA

Kaluga -RUSSIA

Pune -INDIA

San Luis -ARGENTINA

San Luis Potosi -MESSICO



**FABER**  
a FRANKE Company

## **FRANKE FABER INDIA PRIVATE LIMITED.** **India's No. 1 Large Kitchen Appliances Company.**

With Swiss (FRANKE) and Italian (FABER) parentage, FRANKE FABER India Pvt. Limited is a part of the 2.5 billion USD FRANKE Artemis Group. Completing 25 years with its India headquarters in Pune, Maharashtra. It is now India's number 1 Kitchen Appliances Company. A host of Kitchen Essentials such as Hoods/Chimney, Built-in Hobs, Hob-Cooktop Hybrids, Cooktops, Built-in ovens, Built-in MWOs, Cooking Ranges, Dishwashers, Induction Cooktops, Water Purifiers, Water Geysers and other small appliances are brought to you by the group, and FRANKE FABER India Private Limited is on its way to reinvent the luxury kitchen space in the country.

# C-GUARD

RO WITH VITAMIN C FILTER



RO ki  
purity.  
Vitamin C ki  
immunity.



DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER



20 MICRON  
FREE EXTERNAL  
SEDIMENT FILTER



2500 PPM  
TDS FILTRATION



7 LITRES  
CAPACITY

## C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



**ALTROZ**

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT\* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000\*PPM TDS# Filtration Limit
- Water Level Indicator




**NEUTRON PLUS**

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- UF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500\*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



**C-GUARD**

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit a



**XUV 8000**

- 7 Litres (Gross Volume) Storage Tank
- UV + UF+ Alkaline
- 7 Stage Filtration
- Sediment-1
- Pre Carbon
- Sediment-2
- Post Carbon
- Alkaline in Post Carbon
- UV Filter
- UF Membrane
- Water Level Indicator
- Tank Full Indicator
- 500 PPM TDS# Filtration Limit



**UTS PT PRO (RO+UV)**

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500\* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filtration Capacity
- 1.6LPM RO Booster Pump



# A HELMET OR THE SAFER GEYSER ? YOUR CHOICE.

## PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.



\*5-Star BEE Standard  
\*T&C Apply



ANTI SHOCK PRESSURE RESIST

#Safer With Faber




# SAFETY FEATURES

**WATER GEYSER**

**CYRUS**



- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- ABS Body
- Vertical Installation
- Titanium Glass Line Coating
- Black/Cherry, White Colour
- Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



Also available in manual model



Manual Model  
(15L/25L)



Digital Model  
(15L)



Remote Control\*

**JAZZ ELITE 35/50**



- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Metal Powder Coated
- Vertical Installation
- Titanium Glass Line Coating
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



**AGNES**



- FWG AGNES
- Tank less
- Vertical Installation
- White Color
- Heating indicator
- High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- Thermal cut off



**\*FREE ACCESSORIES:  
HAND SHOWER & FAUCET**



## SAFETY FEATURES\*



**Single Weld line**



**High Working Pressure**



**Thermal Cutout**



**No Water Leakages  
Even Coating Across Area**




**5-Bolt Flange**



**High Precision  
Thermostat**




**MFV  
(Extreme Condition)**



**Low Carbon CRCA Sheet  
for better strength**



**Multi-Layer/  
Titanium Coating**



**Magnesium Anode**



**Glasslined Element**



**Girth Welding**

**LEXUS**

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10L, 15L, 25L Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**JAZZ ELITE TITANIUM 15/25**

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Titanium Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**AVAILABLE COLOR**



Sandy Black



Red Ivory

**JAZZ LHS & RHS**

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**VULCAN**

- FWG VULCAN 6V, FWG VULCAN 10V,
- FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**INSTA**

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW),
- FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve • Thermostat • Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure



FABER PRESENTS  
INDIA'S CHOICE  
**CANDY**



Available Colours



**8 IN 1 FUNCTIONS**



**3-IN-1 MASTERCHEF**

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER  
WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours



Free Accessories

**MIXER GRINDER**

**FMG MASTERCHEF 3J/4J**

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar
- Free Accessories: Chopping Board, Weighing Scale



**FMG CANDY 4 J/3J**

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



**FMG CROWN 800 W 3J/4J**

- Manual functions
- 3/4 Jar Blender Mixer Grinder
- Motor Capacity : 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 3 SS 0.4 L / 1.2 L / 1.5 L
- 1 PC\* 1.5 L (\*4J Model)
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



Nero  
Mystic Red

**FMG HILUX 550 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



Nero  
Indigo

**FMG VOGUE 600 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip Lock Lids



Nero  
Blanc

**SONNET 500 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug



Peach

**FMG PRIMO 550 W 3J INDIGO**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug



# Savor with Ease, Cook with Peace.

Presenting Faber's Microwave Range



## FMW Instacook 30C



900 W  
Microwave



Crispy Grill



315 mm  
Turntable Glass



Child Safety  
Lock



Defrost by  
Weight & Time



29 L  
Cavity



**FMW Instacook 30C**

- Microwave oven with grill and convection
- Capacity 29 L
- Black finish
- Easy clean SS cavity
- Turntable Diameter Ø315 mm
- Child safety lock
- 5 Power level
- 10 Auto Cook Menu
- Defrost by weight and time
- Product dimension (WxDxH) - 523×449×300 mm



**FMW InstaCook 20\_S**

- Capacity 20 L
- Black finish
- Easy clean coating
- Turntable Diameter Ø255 mm
- 5 Power level
- Defrost by weight and time
- Product dimension (WxDxH) - 440×358×258 mm

 <p><b>700 W</b> Microwave</p>	 <p><b>20 L</b> Cavity</p>	 <p><b>255 mm</b> Turntable Glass</p>
---	---	--

**FMW InstaCook 20\_S Digital**

- Capacity 20 L
- Black finish
- Easy clean coating
- Turntable Diameter Ø255 mm
- Digital control
- Child safety lock
- 5 Power level
- 6 Auto Cook Menu
- Defrost by weight and time
- Product dimension (WxDxH) - 440×359×259 mm



# Bake, toast and grill GOODNESS!

Make everyday delightfully delicious with Faber Double Glazed OTG



**FABER DOUBLE GLAZED OTG 34L**



1600W MAX INPUT



60 MINUTES TIMER



INNER LIGHT



AUTO SHUT OFF & READY BELL



ROTISSERIE



CONVECTION



CRUMB TRAY



TUNGSTEN HEATING ELEMENT

**ACCESSORIES\***



EXTRA BAKE PLATE



SILICON HEAT GUARD GLOVE



9" PIZZA PLATE

**Safety & Standards**



180 Quality Tests



MS Special Coating



Cool Touch Handle



ISO 9001:2008 Certified Factory

**OVEN TOASTER GRILL (OTG)**

**FOTG 45/60L**

- 45/ 60 Litres Capacity
- Rotisserie Function
- Convection Function
- 2000/2200 Watts
- 60 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- 4pcs SS Heating Element With Indicator Light
- 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



**FOTG 34L**

- 34 Litres Capacity
- Rotisserie Function
- Convection Function
- 1600 Watts
- 60 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- 4pcs SS Heating Element With Indicator Light
- 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



**FOTG 34L (DOUBLE GLAZED)\***

- 34 Litres Capacity
- Rotisserie Function
- Convection Function
- 1600 Watts
- 60 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- 4pcs SS Heating Element With Indicator Light
- 6 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



**FOTG 24L**

- 24 Litres Capacity
- Rotisserie Function
- Convection Function
- 1600 Watts
- 60 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- 4pcs SS Heating Element With Indicator Light
- 4 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



**FOTG 20L**

- 20 Litres Capacity
- 1400 Watts
- 60 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- 4pcs SS Heating Element With Indicator Light
- 4 Stages Switch Heating Selection: off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



**FOTG 9L**

- 9 Litres Capacity
- 1000 Watts
- 30 min timer
- 100 - 250° C Adjustable Temp
- Cool Touch Handle
- SS Heating Element With Indicator Light
- off / Upper Heating / Lower Heating / Upper & Lower Heating
- Auto Shut Off & Ready Bell
- Removable Crumb Tray



# Juice Everything

Juice | Smoothies | Nut Milk | Sorbet | Salad Maker



High Performance  
200W DC Motor



Below  
45db Noise



Upto 95%  
Efficiency



BPA Free Plastic



Mesh Filter



Touch Buttons



Chopping & Slicing with Salad Maker Attachments


**FSJ 200 BK-M**

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC jar, 304 stainless steel mesh filter
- Salad maker attachment



**FSJ 150 R**

- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC jar, 304 stainless steel mesh filter



**Salad Maker**



**FABER Slow Juicer**



**OTHER Centrifugal juicer**



**FRUITS (Hard & Soft)**  
Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



**LEAFY GREENS**  
Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



**VEGETABLES**  
Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



**NUT MILK**  
Almond, Cashew, Soy, etc.  
Prepare Delicious & Healthy Vegan Nut Milk

# Healthy Cooking Made Easy.

Experience the power of air frying.



SMART LIGHT INDICATOR



8 PRE SET COOKING



6.5L CAPACITY



**↓ 85%**  
REDUCED OIL USAGE



**FAF 6.5 L SS BK**

- Capacity: 6.5L
- 220-240V 50/60Hz 1750W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Non-slip feet



**FAF 4.5 AS BK**

- Capacity: 4.5L
- 220-240V 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)



**FAF 3.0 L BK**

- Capacity: 3.0L
- 220-240V 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



**FAF 2.0 DLX BK**

- Capacity: 2.0L
- 220-240V 50/60Hz 1200W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



AUTO SHUT OFF



PFOA FREE



BPA FREE



DISHWASHER SAFE PAN



FRY



ROAST



BAKE



GRILL

# *From bean to cup, a delicious journey awaits...*

- FCM 0.6L SS BK



Food Grade Heating Element



Keep Warm



Water Level Indicator



0.6 L Capacity



Power-800 Watt



Removable Filter



# POWER Blender

- FPB 1800 W BK

The force is now with you.



6mm Boron  
Octagonal Glass Jar



3D Cyclone Flow  
Technology



1000 W  
Copper Motor



800 W  
Ceramic Heater



BPA Free  
Plastics



6 Leaf Blade  
Serrated Knife



Digital Control



Leak Proof  
Safety Lids



Metal Coupler



# SPORTZ BLENDER

Transform ordinary ingredients into extraordinary creations.



## SPORTZ BLENDER FSB 3in1 NERO

- Color/Finish: Black /Silver
- 220-240V 50Hz, 400W
- 20000 RPM\*
- Easy Clean PC Jar
- Precise Overheat Protector
- 100% Fresh ABS
- Nutri Lock Jars Reduced Friction & Heat
- Ergonomically Designed Push and Lock Controls



## SPORTZ BLENDER FSB 2in1 NERO

- Color/Finish: Black /Silver
- 220-240V 50Hz, 400W
- 20000 RPM\*
- Easy Clean PC Jar
- Precise Overheat Protector
- 100% Fresh ABS
- Nutri Lock Jars Reduced Friction & Heat
- Ergonomically Designed Push and Lock Controls



400 W Copper Motor



High Strength Blades



Swirl Hi-Flow Technology



BPA Free Plastics



Lockable Lids







PC Jars

# Panini Maker

## A toast to taste!

- FPB 2200 W 3-IN 1 SS BK

### 3in1 Griller





**FT 950W DLX BK**

Capacity: 2-short slice  
220-240V 50-60Hz 950W  
Electronic control  
With reheat/defrost/cancel setting and have red indicator  
Adjustable browning control/7 setting  
With anti-jam function  
Removable Crumb Tray




**FT 900W BK**

Capacity: 2-short slice  
220-240V 50-60Hz 900W  
Electronic control  
With reheat/defrost/cancel setting and have red indicator  
Adjustable browning control/7 setting  
With anti-jam function  
Removable Crumb Tray



**FT 750W**

Capacity: 2-short slice  
220-240V 50-60Hz 750W  
Food Grade Heating Element  
Auto Pop-Up  
6 Browning Settings  
Special Dust Cover  
With anti-jam function  
Removable Crumb Tray



**Features:**



2 Bread Slice Slot  
120cm x 120cm



Cool Touch  
Body



950 W Max/900 W  
Input



Food Grade  
Heating Element



Reheat Function



Defrost Function



Cancel Function



6-7 Browning Setting

**Convenience**



Removable Crumb  
Tray



Food Grade  
Plastic



Auto Pop Up



Thermostatically  
controlled Auto Cut off



BPA free  
plastic



Non Stick  
Coating



750 W Max  
Input



Cool Touch  
Housing



High Performance  
Heating Element



### FSTG 750 DLX BK

SANDWICH MAKER  
Cool touch housing  
2-slice sandwich maker grill  
Non-stick coating plate for easy cleaning  
Antiskid feet  
Cord storage  
Thermostatically controlled lamp  
Power & ready lights

### FSTG 750 BK

SANDWICH MAKER  
Cool touch housing  
2-slice sandwich maker grill  
Non-stick coating plate for easy cleaning  
Antiskid feet  
Cord storage  
Thermostatically controlled lamp  
Power & ready lights





180 Quality Tests



FAQA Certified



BPA FREE



PFOA FREE



ISO 9001:2008 Certified Factory



**KETTLE SS**

Capacity: 1.8L, 1.5L, 1.2L  
220-240V 50Hz 1500W  
Auto Switch off  
Hinged and locking lid  
Detachable jug kettle with 360 power base  
Cool touch Handle  
Dry Heat Protection  
Over Heat Protection  
Auto Switch Off when water is boiled  
Stainless steel body with pre attached Filter



**KETTLE 1.7L**

Capacity: 1.7L  
220-240V 50/60Hz, 2200W  
Plastic kettle with a detachable non-slip base  
Safety lock lid  
With steam and anti-dry  
Overheating the power-off function of triple protection  
Stainless steel heat element heating  
On/off switch and light indicator  
Transparent water gauge show the water level  
With detachable filter for convenient cleaning



**Features:**



**ON/OFF Switch with light indicator**



**Removable filter**



**360 degree base**



**Dry heating protection**




**1.7 Litres**



**Water level indicator**



**Cool Touch Body**



**Hidden SS 304 Element**



**2200 W Max Input**



**FAQ Certified**



**ISO 9001:2008 Certified Factory**



**180 Quality Tests**



**BPA FREE**



**PFOA FREE**



## DURAMAX WH 150W

**Capacity: 2 Litres**

**Stainless Steel Drum**

**Overload Protector**

**Direct Drive Transmission**

**150 Watts Motor, 960RPM, 230V, 50Hz**

**Transparent Lid & Air Vent**



2 Litres



25 MINUTES  
CONTINUOUS  
RUNNING



SPECIAL HIGH  
GRADE STONE



**MULTI COOKER**

**FMC 1.2 BK** Capacity: 1.2L  
220-240V, 50-60Hz, 700W  
SS 304 Container  
Multi Cooker  
Cool Touch



1.2 LITRES



FOOD GRADE  
INTERNAL



COOL TOUCH  
BODY

**FWK 1.2 L MULTI COOKER**


Capacity: 1.2L  
220-240V, 50-60Hz, 600W  
SS 304 Container, Multi Cooker  
Accessories: Egg Boiler Stand



**FWK 1.2 L STEAMER**

Capacity: 1.2L  
220-240V, 50-60Hz, 600W  
SS 304 Container, Multi Cooker  
Accessories: Steamer






250 W Copper Motor



BPA Free Plastics



High Strength Blades



High Torque Gears

## PRO FOOD CHOPPER



Motor Capacity: 250 Watts

Jar: 0.5 Ltrs

Blades: High Performance SS & Whisking Disk

Speed: 1 Single Speed

Color: White

100% Copper Winding

ABS Plastic Body



**INDUCTION FIP REMO BK 1800**



- Auto Pan Detection
- Power: 220-240V~,50/60Hz, 1800 W
- 24 Hrs Delay Timer & 3 Hrs Cooking Timer
- Black Crystal Glass
- Energy Efficient Intelligent IC
- Soft Touch Control
- Over Heat Protection
- Shock Proof Body

**1800**  
WATT



**8**  
AUTO COOK  
FUNCTIONS



4 Digit LED Display



Preset Programmable Timer



**INDUCTION FIP ZION 1600W BK**



- Auto Pan Detection
- Power: 220-240V~,50/60Hz, 1600 W
- Crystal Unpolished Glass
- Energy Efficient Intelligent IC
- Soft Touch Control Buttons
- 24 Hrs Delay Timer & 3 Hrs Cooking Timer
- Over Heat Protection
- Shock Proof Body



# BLEND LIKE A PRO, our hand blender makes it easy to go with the flow.



High Performance  
DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable  
Control

## FHB 6059 FS BK

44 mm Diameter  
550w DC Motor  
ABS Plastic Body  
SS Shaft & Blade  
1 Speed + Stepless Variable Speed  
Chopper bowl, Whisk, Measuring Cup,  
1L Storage Container



## FHB 6059 SO BK

44 mm Diameter  
550w DC Motor  
ABS Plastic Body  
SS Shaft & Blade  
1 Speed + Stepless Variable Speed  
1L Storage Container



## FHB 300 SS BK

44 mm Diameter  
300w DC Motor  
ABS Plastic Body  
SS Shaft & Blade  
Turbo Speed






Micromesh Juicing Sieve



Multi Purpose SS Jar



3-Speed Control



Powerful 500W Motor



Double Lock System

## FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula

Color: White - Cherry Red

2 Pin 2 Core Plug



# YOU AND YOUR FAMILY... NOW SAFER WITH FABER



Effective disinfection  
Seafoam



Fruit & vegetables



Meat



Tableware

Available Colour



Seafoam

Blonde

Indigo

Iris

**OXPURE 10**

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimension (L\*W\*H): 330\*270\*320 mm



**TAD 1L SS**

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 2L SS**

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 5L SS**

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 2L 3-in-1**

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



**FDS CARE PRO**

- DC 5V / 2Amp Rated Input
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



**FDS CARE PLUS-FR**

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dust
- Removes bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer)
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 mm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



**FDS SUV 20 / FDS SUV 30**

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C - 45°C, 10-85% humidity Operation Temperature
- UV-C protection against opening of door





# **FABER**

FRANKE'S AIR EXPERT

## FRANKE FABER INDIA PRIVATE LIMITED

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India  
Toll Free Helpline: 1800 209 3484, email: ks-customer-care.in@franke.com, website: www.faberindia.com

Follow us on:  /faberindia  /faberindia  /faberindia You  /FaberSpaindia  /company/faber-india/

Franke Faber India Private Limited is Licensed User of ©Trademark of FABER S.P.A

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.